


<http://dj-jhonny.nl> The RadioDJ tutorial site.

Setup for using the online request plugin.



Copy the two files *Plugin_Requests.dll* and *Plugin_Requests.xml* from c:\RadioDJv2\Disabled Plugins\Plugin Requests\ folder to the Plugins folder of radiodj (c:\RadioDJv2\Plugins\).

Start or restart radiodj.

In the radiodj screen it will shows.











The screen with a request and a message.




When a error occurs after a request, a warning is showed!

<http://dj-jhonny.nl> The RadioDJ tutorial site.

The buttons.

-  Auto refresh. Puts new request in the list and remove the played.
-  Direct refresh (by hand).
-  Remove the selected request from the list, works when history is selected to.
-  Auto place the request in the playlist.
-  Place request to the bottom of the playlist.
-  Place the request to the top of the playlist.
-  Show request history.
-  Use a sweeper on a request.



Sweeper subcategory.


Buttons in use.



Using request sweepers.

<http://dj-jhonny.nl> The RadioDJ tutorial site.

Categories manager.



In the category **Sweepers** make a sub category **Requests**.
Import your request sweepers.

[Request examples](#)

<http://dj-jhonny.nl> The RadioDJ tutorial site.

Request Script.

Use of a request script on a site.
One page request script. File name **request.php**.

Track Request

Search on artist or title:

#	Artist	Title	Duration	Req
4076	UB40	12 Bar	00:04:18	Request this track
4077	UB40	Burden Of Shame	00:06:24	Request this track
4078	UB40	Adella	00:03:21	Request this track
4079	UB40	I Think It's Going to Rain Today	00:03:36	Request this track
4080	UB40	25%	00:03:28	Request this track
4081	UB40	Food For Thought	00:04:02	Request this track
4082	UB40	Little By Little	00:03:34	Request this track
4083	UB40	Signing Off	00:04:21	Request this track
4084	UB40	Madame Medusa	00:12:43	Request this track
4085	UB40	Strange Fruit	00:04:00	Request this track
4086	UB40	Reefer Madness	00:04:58	Request this track
4087	UB40	Cherry Oh Baby	00:03:14	Request this track
4088	UB40	Keep On Moving	00:04:34	Request this track
4089	UB40	Please Don't Make Me Cry	00:03:19	Request this track
4090	UB40	Sweet Sensation	00:03:32	Request this track
4091	UB40	Johnny Too Bad	00:04:50	Request this track
4092	UB40	Red, Red Wine	00:05:11	Request this track
4093	UB40	Guilty	00:03:05	Request this track
4094	UB40	She Caught The Train	00:03:09	Request this track
4095	UB40	Version Girl	00:03:22	Request this track
4096	UB40	Many Rivers to Cross	00:04:21	Request this track
4097	ulu	Me The Peaceful Heart	00:02:20	Request this track
4098	uly	Dandelion Seeds	00:04:23	Request this track
4099	United States Of America	I Won't Leave My Wooden Wife For You, Sugar	00:03:50	Request this track
4100	Untouchable 3	That Once In A Lifetime	00:03:07	Request this track

The position to show the page on your website can be done by including.
The page must be a .php file not a .htm or .html file, **include_once('request.php');**
to place in that page with a plain editor like notepad.

```

For use edit the code in the request.php file, just the blue parts in it as showing here.
$mysql_server = "127.0.0.1"; // MySQL Server's IP (and port if not default 3306). Ex: (191.268.1.2 or 191.268.1.2:345).
$mysql_database = "radiodj160"; // MySQL database name.
$mysql_user = "root"; // MySQL database username (usually root)..
$mysql_pass = "pass"; // MySQL database password.
$track_repeat = 120; // Don't display the track if it was played in the last X minutes.
$artist_repeat = 120; // Don't display the track if the artist was played in the last X minutes.
$def_timezone = 'Europe/Bucharest'; // Set your time-zone.

```

This script can be found in the [download](#) part.

<http://dj-jhonny.nl> The RadioDJ tutorial site.

Wordpress plugin.


There is also a script for the program Wordpress (Radiodj-for-wordpress-0.7.0.) only it's not supported by me. Setup instructions wordpress plugin by Andis Grosēteins (Valdis).

Short version:

1. Install plugin by uploading the files to your server or using [Plugins → Add New screen in your WordPress dashboard](#).
2. Open RadioDJ plugin options screen and enter database connection details.
3. Add [shortcodes](#) on pages or posts.

Database settings.

This is the most important part of the RadioDJ plugin setup. Database connection details are used to connect to the RadioDJ database.



Database settings section

Description of entry fields

RadioDJ Server: IP address or hostname (225.225.225.225 or *www.my.database.server.com*) of the RadioDJ database server.

- **Note** that **127.0.0.1** is a loopback address and it always points back to the computer itself. If RadioDJ database is not running on the same computer as your web server, you have to use the IP address or hostname of that computer and not **localhost** or **127.0.0.1**.

Username: Database connection username. You may use same user credentials as RadioDJ but it is advised to create a new MySQL database user with restricted privileges. How, see [movie](#) of Marius.

Password: Database connection password.


Database name: Name of database, also called scheme name.

Verify database settings button: Allows to test provided connection details before saving options.

Offline message: This message is displayed in place of shortcodes if RadioDJ database is unreachable.

<http://dj-jhonny.nl> The RadioDJ tutorial site.

Now Playing Options



Now Playing Options

Upcoming Items Display artist and title of upcoming tracks

AJAX Refresh Update now playing info every 10 seconds

Shuffle Upcoming Shuffle upcoming songs

History Items

Now Playing Options section

Description of entry fields

Upcoming Items Number of upcoming tracks to display in now playing view. Checkbox allows to enable display of artist and title of upcoming tracks. If unchecked, only artist names are displayed.

AJAX refresh Enable refreshing of currently playing information from RadioDJ database every 10 seconds without reloading page.

Shuffle Upcoming Display upcoming tracks in random order. May be required to make it harder to rip streamed music.

History Items How many previously played tracks to display in history list.

<http://dj-jhonny.nl> The RadioDJ tutorial site.

Top Tracks and Albums Display Options

Top Tracks and Albums Display Options

Top Tracks Items	<input type="text" value="10"/>
Top Albums Items	<input type="text" value="10"/>
Days To Build The Top	<input type="text" value="30"/>

Top Tracks and Albums Display Options section

Description of entry fields

Top Tracks Items: Number of tracks to display in top tracks lists.

Top Albums Items: Number of tracks to display in top albums lists.

Days To Build The Top: Number of days used to calculate top positions.

<http://dj-jhonny.nl> The RadioDJ tutorial site.

Request Options.

Requests Options	
Items per Page	<input type="text" value="25"/>
Minimum Track Repeat	<input type="text" value="240"/> (minutes)
Minimum Artist Repeat	<input type="text" value="240"/> (minutes)
Daily Request Limit	<input type="text" value="5"/>

Daily allowed requests per IP address

Requests Options section

Description of entry fields

Items per Page: Number of tracks to display on one request list page.

Minimum Track Repeat: Time span during which same track can't be requested repeatedly.

Minimum Artist Repeat: Time span during which tracks by same artist can't be requested repeatedly.

Daily Request Limit: Number of allowed requests for one IP address per day.

<http://dj-jhonny.nl> The RadioDJ tutorial site.

Shortcodes

RadioDJ WordPress plugin provides following shortcodes:

Now Playing [now-playing]
Top Played Tracks [top-tracks]
Top Played Albums [top-albums]
Top Played Artists [top-artists]
Request Section [track-requests]
Top Requests [top-requested]

What are shortcodes?

A short description of shortcodes:

A shortcode is a WordPress-specific code that lets you do nifty things with very little effort. Shortcodes can embed files or create objects

that would normally require lots of complicated, ugly code in just one line. **Shortcode = shortcut.**

- [WordPress.com documentation](#)